

## SECTION 1-CHEMICAL PRODUCT & COMPANY IDENTIFICATION

**PRODUCT NAME:** Q7950 YELLOW PVA WOOD GLUE  
**CAS NUMBER:** MIXTURE  
**Description:** BRUSH/ROLL/SPRAY GRADE  
**Manufacturer:** QUALITY AEROSOLS  
313 Bell Park Drive  
Woodstock, Georgia 30188

**EMERGENCY TELEPHONE:** CHEMTREC 1-800-424-9300 **General Assistance:** 1-877-320-4747

## SECTION 2- COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT(S)	CAS #	%by Weight
--------------	-------	------------

No reportable quantities of hazardous ingredients known to company.

## SECTION 3- HAZARDS IDENTIFICATION

**Emergency Overview:** Product is non-flammable. Contact may cause skin and eye irritation. Mist may cause nose and throat irritation. Ingestion may cause nausea, vomiting, pain, upset stomach, and diarrhea.

**Potential health effects:** **Skin Contact:** This product may cause irritation to the skin. Prolonged or repeated contact with this product may dry and/or defat the skin. **Eye Contact:** Liquid may irritate the eyes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Eye contact may lead to permanent damage if not treated promptly. **Ingestion:** This product is harmful if swallowed. Ingestion can cause gastrointestinal irritation, nausea, and diarrhea. **Inhalation:** Not expected to be harmful under normal conditions of use. However, if allowed to become airborne, may cause irritation of nose, throat and lungs. **Carcinogenicity:** This material does not contain any chemical at concentrations equal to or greater than 0.1% that has been listed by NTP, classified by IRAC, nor regulated by OSHA as a carcinogen.

*Refer to Section 8 for exposure limits and recommendations.*

## SECTION 4- FIRST AID MEASURES

**Skin:** For skin contact, wash immediately with soap and water. If irritation persists, get medical attention. **Eye:** Immediately flush with plenty of water for at least 15 minutes, holding eyelids open at all times. Get medical attention immediately.

**Inhalation:** Move person to non-contaminated air. If the affected person is not breathing, apply artificial respiration. Call a physician if symptoms develop or persist. **Ingestion:** Give the affected individual one or two glasses of water or milk. Never give anything by mouth to an unconscious person. Seek medical attention immediately by contacting poison control center or emergency room for advice on whether to induce vomiting or for any other additional treatment directions.

## SECTION 5- FIRE FIGHTING MEASURES

**Extinguishing Media:** Use dry chemical, carbon dioxide, or foam. **Basic Fire Fighting Procedures:** Wear self-contained breathing apparatus (SCBA) and full fire-fighting protective clothing. Containers of this material may build up pressure if exposed to heat (fire). Use water spray to cool fire-exposed containers. **Dust Explosion Hazard:** None.

**Fire Fighting Equipment/Instructions:** Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. **Hazardous Combustion Products:** Various oxides of carbon, organic compounds, and water may be released during combustion. **Fire and Explosion Hazards:** This material will not burn unless it is evaporated to dryness. Closed containers may rupture when exposed to extreme heat.

**Flash Point:** N/A

**Flammability limits in air:** 0.0 upper % by volume concentrate      0.0 lower % by volume concentrate

## SECTION 6- ACCIDENTAL RELEASE MEASURES

**Emergency Action:** Use personal protection recommended in Section 8. Barricade area to restrict access. For small spills absorb the liquid with inert material (such as sand, vermiculite or earth) and place in chemical waste container. For large spills persons not wearing protective equipment should be evacuated from area of spill until clean-up has been completed. Stop leak at source when it is safe to do so. Dike and pump material into waste containers. Prevent runoff from entering waterways, sanitary sewers, storm sewers and drainage ditches.

## SECTION 7- HANDLING & STORAGE

**Handling:** Handle in accordance with good industrial hygiene and safety practices. Avoid getting this material into contact with your skin and eyes. Use this product with adequate ventilation. Do not reuse the empty container. **Storage:** Store in a cool, dry, well-ventilated area. **Empty Container Precautions:** Attention! Follow label warnings even after container is emptied since empty containers may retain product residues. Do not reuse empty container. **Protective Equipment:** Always use appropriate Personal Protective Equipment. Goggles and impervious gloves.

## SECTION 8- EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product. **Eye Protection:** Wear goggles or safety glasses with side shields. **Skin and Body Protection:** Impervious gloves should be used when handling this product. Use of protective coveralls and long sleeves is recommended. **Respiratory Protection:** Use NIOSH approved respiratory protection. High airborne concentrations may necessitate the use of self-contained breathing apparatus (SCBA). **General:** Use good hygiene practices in handling this material.

### Exposure Limits:

### (PARTS PER MILLION)

Component(s)	TLV	OSHA-PEL	OSHA-STEL	SARA 313	Prop 65	VOC
None established.						

## SECTION 9- PHYSICAL & CHEMICAL PROPERTIES

<b>Solids:</b> 30%	<b>Evaporation Rate:</b> >1 (butyl acetate = 1)
<b>pH:</b> 4.5-5.5	<b>Boiling Point:</b> 212° F (100° C)
<b>Specific Gravity:</b> 1.09	<b>Color:</b> Cream to Yellow
<b>Physical State:</b> Liquid	<b>Odor:</b> Characteristic
<b>%Volatile:</b> 44%	<b>Freezing Point:</b> 32° F (0° C)

## SECTION 10-STABILITY & REACTIVITY

Hazardous polymerization will not occur. **Condition to avoid:** Freezing temperatures. Avoid contact with strong oxidizers, reducers, acids, and alkalis. **Stability:** This product is stable under normal conditions.

## SECTION 11-TOXICOLOGICAL INFORMATION

No information available.

## SECTION 12-ECOLOGICAL INFORMATION

No information available

## SECTION 13-DISPOSAL CONSIDERATIONS

We make no guarantee of warranty of any kind that the use of and/or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

**Waste Disposal:** Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Wastes must be tested using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes.

## SECTION 14-TRANSPORTATION INFORMATION

**US DOT Information:** Not specified.

**Proper Shipping Description:** Not Regulated.

**Label:** None.

**Placard:** None

**Reportable Quantity:** Not Applicable.

## SECTION 15- REGULATORY INFORMATION

OSHA: This material is not classified as hazardous under OSHA Standard 29 CFR 1910.1200

SARA Title III: Section 304 – CERCLA: Reportable quantities have not been established for any of this material's components.

SARA Title III: Section 311/312 – Hazard Communication Standard (HMIS): This material is not a hazardous chemical.

SARA Title III: Section 313 Toxic Chemical List (TCL): This product does not contain Section 313 reportable ingredients.

TSCA Inventory Status: All components of this material are listed on the US Toxic Substances Control Act (TSCA) inventory.

## SECTION 16-Other Information

### H.M.I.S

<b>HEALTH</b>	<b>1</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>REACTIVITY</b>	<b>0</b>

The information in this MATERIAL SAFETY DATA SHEET is pursuant to 29 CFR 1910.1200 to convey information concerning the hazardous nature of this product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the label be read and understood.

# LOSOREA

Quality Aerosols

*Aerosol & Liquid Filling Services and Solutions*

**Q7950 YELLOW PVA  
WOOD GLUE  
MATERIAL SAFETY DATA SHEET**

**Quality**  
**Aerosols™**  
*Quality Under Pressure*

***Where Quality and Service are Number 1***

**[www.losorea.com](http://www.losorea.com) • [www.qualityaerosols.com](http://www.qualityaerosols.com)**

Office: 678.494.1112 • Fax: 678.494.1113 • 313 Bell Park Drive • Woodstock, GA 30188